=> IFW: Scan as Doc Code: SRNT <= Doc Date: 3/29/06


## **TC 3700 Inventor Search Program**

See attached inventor searches for applications and/or patents to help resolve questions of overlapping subject matter. These searches are provided as an initial examination aid: examiners should perform updated or expanded PALM or EAST inventors searches as appropriate.

**Serial Number: 10/749877** 

1.) See <u>attached</u> printout of inventors listed in PALM

2.) See <u>attached</u> EAST Inventor Search Printout shows Inventor search terms



Day: Wednesday Date: 3/29/2006 Time: 11:54:34

## **Inventor Information for 10/749877**

Inventor Nan	ne		City			State/Country				
CHU, DAVID	) Z.J.		S. PASADEN	A		CALIFORNIA				
Appln Info	Contents	Petition Info	Atty/Agen	t Info	Continuity	Data	Foreign Data	Invent		
Search Anot	her: Applic	ation#	Search	or	Patent#		Search			
	PCT /	1	Search	or PG	PUBS # □		Search			
	Attorney	Docket #			Search					
	Bar Cod	e #	Sea	arch		,	·			

To go back use Back button on your browser toolbar.

Back to PALM | ASSIGNMENT | OASIS | Home page

US 20050261761	US- PGPUB	20051124	5 .	Visceral anastomotic	623/1.38		Chu, David Z. J.
Al				device and method of using same			
US 20050185193 A1	US- PGPUB	20050825	12	System and method of using a side-mounted interferometer to acquire position information	356/498		Schluchter, William Clay et al.
US 20050175217 A1	US- PGPUB	20050811		Using target images to determine a location of a stage	382/103		Mueller, Louis F. et al.
US 20050062624 A1	US- PGPUB	20050324		Phase digitizer for signals in imperfect quadrature	341/111	0.61/504	Chu, David C. et al.
US 20050030720 A1	US- PGPUB	20050210		Apparatus, system, and method for arraying electrical devices in a	361/725	361/724	King, Allen et al.
US 20040236186 A1	US- PGPUB	20041125		cabinet Expandable surgical retractor for	600/215		Chu, David Z.J.
				internal body spaces approached with minimally invasive incisions or through existing orifices			
US 20040177930 A1	US- PGPUB	20040916		Compact disk manufacturing machine	156/538	156/556; 156/557	Chu, David
US 20040071836 A1	US- PGPUB	20040415		Edible tongue tatoo	426/104		Chu, David
US 20040019821 A1	US- PGPUB	20040129		Method and apparatus for reliable failover involving incomplete raid disk writes in a clustering	714/6		Chu, Davis Qi-Yu et al.

			system			
US 20030144807 .A1	US- PGPUB	20030731	System and method for heterodyne interferometer high velocity type non-linearity	702/94		Chu, David C.
US 20030098981 A1	US- PGPUB	20030529	System and method for interferometer non-linearity compensation	356/496		Chu, David C.
US 20030093721 A1	US- PGPUB	20030515	Selective automated power cycling of faulty disk in intelligent disk array enclosure for error recovery	714/42		King, Allen et al.
US 20020036113 A1	US- PGPUB	20020328	Speaker cabinet with tuned stress elements	181/199	181/198	Chu, David
US 7013944 B2	USPAT	20060321	Compact disk manufacturing machine	156/538	156/539; 156/556; 156/557; 156/566; 156/567; 156/578	Chu; David
US 6959399 B2	USPAT	20051025	Selective automated power cycling of faulty disk in intelligent disk array enclosure for error recovery	714/6	713/324; 714/23	King; Allen et al.
US 6952175 B2	USPAT	20051004	Phase digitizer for signals in imperfect quadrature	341/111		Chu; David C. et al.
US 6926724 B1	USPAT	20050809	Visceral anastomotic device and method of using same	606/155	606/153; 606/154	Chu; David Z. J.
US 6792368 B2	USPAT	20040914	System and method for heterodyne interferometer	702/94		Chu; David C.

	I				high velocity	<del></del>		. [
				•	type non-			
	·	رہ			linearity			
					compensation	•		
US 6738143		USPAT	20040518		System and	356/450	356/484;	Chu; David
B2		OSIAI	20040510		method for	330/430	356/496	C.
D2					interferometer		330/ 130	
					non-linearity			
,					compensation			
US 6583590		USPAT	20030624		String drawing	318/34	318/280;	Chu; David
B1		USIAI	20030024		device for a	310/34	318/283;	. Cha, David
DI					racquet		318/5;	
		i			racquet		318/7;	
	1						318/8;	
							473/553;	
							473/555;	
							473/556;	
							473/557	,
US 6480126	<u> </u>	USPAT	20021112		Phase digitizer	341/111	4131331	Chu; David
B1		USIAI	20021112					C
US 6176834		USPAT	20010123		Minimally	600/567	600/562;	Chu; David
B1					invasive biopsy		600/564;	Z. J. et al.
		1			device		606/185	
US 5982831		USPAT	19991109		Feed forward	375/371	331/11;	Chu; David
Α					method and		370/516;	C.
					apparatus for		375/373	
		*			generating a			
					clock signal			
US 5882316		USPAT	19990316		Minimally	600/567	600/562;	Chu; David
A					invasive biopsy		600/564;	Z. J. et al.
		· _			device		606/185	
US 5860447		USPAT	19990119		In line pressure	137/505.25	137/493.8;	Chu; David
A					regulator valve		137/493.9	
					with passive			
					pressure release			
US 5663666		USPAT	19970902		Digital phase	327/7	327/10;	Chu; David
Α					detector		327/12	C. et al.
US 5648700		USPAT	19970715		Fluorescent	313/493	313/491;	Chu;
Α .					lamp device		313/633;	Michael Yi
					·		313/634	et al.
US 5631933		USPAT	19970520		Phase-locked	375/354	375/376	Chu; David
A					digital			C. et al.
					synthesizers			
US 5607336		USPAT	19970304		Subject specific,	446/297	446/299;	Lebensfeld;
A					word/phrase		446/302;	Steven et
					selectable		446/98;	al.
					message		D21/658	
					delivering doll			
					or action figure			
US 5530410		USPAT	19960625		Acoustic	333/153	310/313A;	Chu; David
A					frequency		333/132;	KT.
i	1	į	1		mixing devices		708/815	i

Г		— т						<del></del>	· · · · · · · · · · · · · · · · · · ·	<del></del>	<del></del> 1
					.	using potassium		•			ļ
			,			titanyl					
				·		phosphate and				İ	:
$\vdash$			TIODAT	10060521		its analogs		702/176	227/0		Char David
	US 5519625		USPAT	19960521		System for		702/176	327/9		Chu; David C.
	A					characterizing					C.
						phase- modulated					
							.				
				·		signals using a time interval					·
ŀ						analyzer					
H	US 5469466		USPAT	19951121		System for		3.75/354	370/252;		Chu; David
	A		USIAI	19931121		highly		3.131334	370/516;		C.
	Λ.					repeatable clock			375/224	1	
						parameter	1		3 7 3 7 2 2 .		
	. 1					recovery from					
						data modulated					
1						signals					ļ
$\mid$	US 5448125		USPAT	19950905		Surface		310/313A			Chu; David
	A					skimming bulk					K.
						wave generation	,				
						in			1		
						KTiOPO.sub.4					
						and its analogs					
	US 5447845		USPAT	19950905		Analyte-		435/6	310/311;		Chu; David
1	A			• .		responsive KTP			310/313B;		K. et al.
						composition and			310/313R;		
				!		method			310/340;		
								•	356/369;		
									385/130;		
						•			422/55;		
						•			422/57;		
									422/82.01; 422/82.05;		·
		1							435/808;		
									435/970;		
									436/518;		
									436/524;		
		1			<u> </u>				436/525;		
									436/527;		
									73/587;	~	1
									73/590		
	US 5418866		USPAT	19950523		Surface acoustic		385/7	310/313B;		Chu; David
	A					wave devices			310/313R;		K.
						for controlling			359/285;		
	•	1				high frequency			359/298;		
						signals using			385/130;		
						modified			385/132;		
						crystalline			385/141;		
		1				materials		001111	385/142	ļ	<u> </u>
	US 5384541		USPAT	19950124		Precision timed		324/617	324/533;		Chu; David
L	<u>A</u>	1			l	delay	L	<u> </u>	324/621;		C. et al.

		,	· · · · · · · · · · · · · · · · · · ·		, · · · · · · · · · · · · · · · · ·	<u>.</u>	r		
			•		measurement			324/635;	
					using		· .	324/644;	
`					phaselocked			324/76.53;	
					CW technique			324/76.54;	
,								342/124;	
								342/127;	
								368/120	:
US 5350961		USPAT	19940927		Acoustic wave		310/313A	310/313B;	Chu; David
A					devices for			310/334;	K.
					controlling high			310/358;	
			•		frequency			333/154;	
					signals			333/193	
US 5294092	<del> </del>	USPAT	19940315	_	Quick		251/149.6	251/361	Wade;
A					disconnect				Richard B.
1.	1				coupler				et al.
US 5269515	<b></b>	USPAT	19931214		Machine for	-	473/556		Chu; David
A		ODITTI	19931211		stringing game		1,3,330		T.
	ŀ	;			racket				1.
US 5186505	1	USPAT	19930216		Chucking	- :-	473/555		Chu; David
A		USIAI	19930210		device of racket		4737333		T.
A			1		stringing				1.
·		,			machine				
110 51 (7200	-	TICDAT	19921201				251/149.6	251/361	Wade;
US 5167398		USPAT	19921201		Quick		231/149.0	231/301	Richard B.
A					disconnect				et al.
****	-	T I C D A CD	10001104		coupler		277/20	277/22	
US 5166959		USPAT	19921124		Picosecond		377/20	377/33;	Chu; David
A	<u> </u>				event timer	ļ	224/56 45	377/56	C. et al.
US 5128607		USPAT	19920707		Constant events	ŀ	324/76.47	377/20	Clark;
A					frequency				David W.
			· .		measurement				et al.
					and fast inverse				
					circuit				XX 1C TY
US 5022268		USPAT	19910611		Passive		73/602		Wolf; H.
A		,			acoustics				Alan et al.
					system to			1 .	
					monitor				
					fluidized bed				
					systems				
US 4996474		USPAT	19910226		Digital gate		324/76.48	327/261;	Tambe;
A					generation for a			377/20;	Atul et al.
					signal			702/75	
			[		measurement				
					instrument				
US 4706955		USPAT	19871117		Racket frame		473/555	269/227;	Ngadi;
A					clamp for			269/238	Sumiaty et
					stringing				al.
	$\perp$		<u>                                      </u>		machine				
US 4627268		USPAT	19861209		Method for		73/1.42	73/1.01;	Chu; David
A					calibrating	ŀ		968/751;	C. K.
					instruments for			968/844;	
					time interval			968/DIG.1	
					measurements				
L		<del></del>	<del></del>		<del></del>		•	<del></del>	

US 4613951	US	SPAT	19860923		Time interval		702/176	368/120;		Chu; David
A				•	measuring			375/362;		C.
					apparatus and	:		377/20;		
			•		method			968/844;		
								968/DIG.1		
US 4523269	US	SPAT	19850611		Series		363/138	307/110;		Baker;
A					resonance			363/17;	ĺ	Richard H.
.					charge transfer			363/43;		et al.
					regulation			363/98		
					method and					
		٠			apparatus				ŀ	
US 4519091	US	SPAT	19850521		Data capture in		377/44	377/30;		Chu; David
A	"				an uninterrupted	.		377/37	,	C. et al.
7 1			•		counter	1 1				
US 4383166	119	SPAT	19830510		Automatic		377/20	368/119;		Chu; David
A	0,	31 1 1 1	19050510		echo-chamber		<b>.</b> .	377/44		C. et al.
					for measuring				l	
					single time					
	İ				intervals by					
					replication and				l	
					averaging		•			
US D256372	US	SPAT	19800812		Writing		D19/42			Chu; David
S			1,00001		instrument			ļ		Y.
US 4200403	US	SPAT	19800429		Writing		401/6	401/116;		Chu; David
A			15000 125		implements			401/49;		Y.
'			,					401/55;		
								401/68;		i
						1 1		401/77;		i j
								401/78;		
								401/99		
US 4164648	U	SPAT	19790814		Double vernier		377/20	368/118;		Chu; David
A					time interval	1		368/119;		C.
					measurement			968/844;		
					using triggered			968/DIG.1		
					phase-locked					
					oscillators					
US 3984770	U	SPAT	19761005		Frequency		324/76.53	324/76.44;	·	Chu; David
A					measurement			324/76.77;		C.
					using phase			327/48;		
, i					continuous			702/78		
					frequency					
					switching					
US 3957353	U	SPAT	19760518		Multiemulsion		359/564	348/41;		Fienup;
A					transparency			359/33;		James R. et
					providing			359/888;		al.
•					separate phase			359/9;	ı	
					and amplitude			430/1;		
					control			430/2;		. :
								430/30;		
Ì	·							430/503		
US 3938042	U	SPAT	19760210		Measurement		368/118	324/76.47;		Gliever;
A					averaging			324/76.55;		John H. et

.

					counting			324/76.82;		al.
				•	apparatus			331/78;		
					employing a			377/43;		
					randomly phase			702/79;		
					modulated time			968/846;		
					base to improve			968/DIG.1		
					counting				·	
					resolution					
US 3921095		USPAT	19751118		Startable phase-		331/1A	331/14;		Chu; David
A					locked loop			331/25		Chau-
					oscillator	1				Kwong
US 3886451		USPAT	19750527		Random phase		368/118	324/76.47;		Chu; David
A					modulating time			324/76.82;		C. et al.
•					base and			377/20;		
•					method to			377/43;		
		1			improve			377/47;		
					measurement			702/79;		
					averaging			968/846;		
					counter			968/DIG.1		
					resolution		•			
US 3884546		USPAT	19750520		Spectrum		359/9	359/29;		Chu; David
Α					shaping with			359/559		C.
					parity sequences					
US 3434065	1	USPAT	19690318		AUTOMATIC-		330/2	330/127		CHU
A					GAIN-			·		DAVID C
·					CONTROLLED					et al.
					AMPLIFIER					
					HAVING A					
					LEVEL					
					INDICATOR					
					[TEXT					
			.		AVAILABLE					
,					IN USOCR					
					DATABASE]					. ^